

# Material Safety Data Sheet

# U.S. Department of Labor

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



IDENTITY	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
NAIROBI CRÈME PRESS	

### Section I

Manufacturer's Name: Chapman Products	Emergency Telephone Number 1-800-736-5072
Address PO Box 6533 Greenville, SC 29607	Telephone Number for Information 1-800-736-5072
	Date Prepared 06-20-2003 Effective: Supersedes:
	Signature of Preparer ( <i>optional</i> )

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	Other Limits OSHA PEL ACGIH TLV Recommended %( <i>optional</i> )
Petrolatum Jelly 100.00%	
Vitamin E < 10.00 PPM	
2,6 Di-tert-butyl-p-cresol <10.0 PPM	

### Section III - Physical/Chemical Characteristics

Boiling Point N/A		Specific Gravity (H2O = 1)	<1
Vapor Pressure (mm Hg.) <0.005 hPa (0.00mmHg) at 20°C		Melting Point	80°C at STP
Vapor Density (AIR = 1) N/A		Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water- Insoluble			
Appearance and Odor Semi-solid. A liquid above the melting point. Mild fragrance			

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) > 204°C (400°F)	Flammable Limits 1	LEL N/A	UEL N/A
---	-----------------------	------------	------------

Extinguishing Media Suitable: Treat as an oil free S  
Small Fires: -CO2-dry powder-foam  
Large fires: Alcohol- type foam or universal-type foams  
Unsuitable: Oil will float on water and can spread any fire.

Special Fire Fighting Procedures Use water spray to cool fire-exposed containers and structures. Do not direct a solid stream of water or foam into burning molten material; this may cause spattering and spread the fire.

---

Unusual Fire and Explosion Hazards This product will burn if involved in a fire. This product will float upon water, so water spray is not a suitable extinguishing agent as it may cause any fire to spread.

---

(Reproduce locally)

OSHA 174, Sept. 1985

**Section V - Reactivity Data**

Stability	Unstable No		Conditions to Avoid None
	Stable: Yes		

Incompatibility (*Materials to Avoid*)  
N/A

Hazardous Decomposition or Byproducts  
None

Hazardous Polymerization N/A			Conditions to Avoid
	May Occur N/A		None
	Will Not Occur: N/A		

**Section VI - Health Hazard Data**

Route(s) of Entry:	Inhalation? No	Skin? Yes	Ingestion? Yes
--------------------	-------------------	--------------	-------------------

Health Hazards (*Acute and Chronic*) **Eye Contact:** Potential eye irritant

**Skin Contact:** Non-irrigant

**Inhalation:** N/A

**Ingestion:** Moderately toxic

Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No
------------------	---------	---------------------	--------------------

Signs and Symptoms of Exposure For purpose of chronic exposure under the OSHA Hazard Communication Standard, this is an untested mixture. These products have been used extensively by consumers and Chapman Products CO. is not aware of any significant adverse effects. Target Organs: These products contain ingredients which have been shown to affect tissues or organs when fed at high level of exposure in animal studies not encountered in normal use. Target organs identified in animals studies are as follows : Glycerin: kidney, liver, Central nervous System (CNS) Propylen Glycol: kidney, CNS Isopropyl alcohol: CNS

Medical Conditions

Generally Aggravated by Exposure

N/A

**Emergency and First Aid Procedures:**

**Eye Contact:** Remove contact lenses. Flush immediately with plenty of water for 15 minutes. Get medical attention immediately. **Skin Contact:** If spilled, wash immediately with soap and water (do not use solvents.) Change into clean

**Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled. Contain spill and promptly clean up. Flush with copious amount of water until floor is not slippery

Waste Disposal Method. This product are considered non-hazardous waste according to RCRA. Disposal should be in accordance with all applicable local, state and federal regulations.

Precautions to Be taken in Handling and Storing

Store in area with even, normal temperature away from heat.

Other Precautions

None

**Section VIII - Control Measures**

Respiratory Protection (*Specify Type*)

Ventilation	Local Exhaust: Exhaust system ventilation should be adequate to avoid buildup of vapors	Special: N/A
	Mechanical ( <i>General</i> ): N/A	Other: N/A

Protective Gloves: Use Impervious gloves	Eye Protection: Avoid contact with eyes. Use protective eyewear, if splashing is possible
--	---

Other Protective Clothing or Equipment: None

Work/Hygienic Practices Always follow hygienic work practices. Avoid all skin, eye, and clothing contact with products. In case of contact, rinse thoroughly with water. Promptly clean up all small spills.

